

CLAIMS

1. A method of making an ad-hoc group call in a subscriber device of a communications system, the method comprising
storing a list of subscribers in a phonebook application in a sub-
5 scriber device,
in response to receiving, via a user interface from a user of the sub-
scriber device, a group call activation with a selection of two or more sub-
scribers from the phonebook, providing appropriate signalling with a group
communication service in a network infrastructure for establishing an ad-hoc
10 group call consisting of the selected subscribers and the user of the sub-
scriber device.
2. A method according to claim 1, comprising
storing presence information of the subscribers in the phonebook
application, said presence information including information on the availability
15 of the subscribers for a group call.
3. A method according to claim 1 or 2, comprising
sending a speech item or a speech item request each time a talk ac-
tivity is detected or indicated in the subscriber device during a call.
4. A method according to claim 1, 2 or 3, comprising
20 opening the phonebook application in response to a predetermined
input from the user interface,
displaying the list of subscribers on the user interface,
in response to the user's selection of two or more subscribers from
the list via the user interface, displaying a group communications menu on the
25 user interface, and
establishing an ad-hoc group including the user and the selected
subscribers in response to the user selecting a predetermined operation in the
group communications menu or the user pressing a predetermined button,
such as an off-hook button or a push-to-talk switch.
- 30 5. A method according to claim 1, 2 or 3, comprising
opening the phonebook application in response to a predetermined
input from the user interface,
displaying the list of subscribers on the user interface,
receiving the user's selection of two or more subscribers from the
35 list via the user interface, and

establishing an ad-hoc group including the user and the selected subscribers in response to the user pressing a predetermined button, such as an off-hook button or a push-to-talk switch.

5 6. A subscriber device for a mobile communication system, comprising

 a talk group communication means,
 a phonebook application means storing a list of subscribers,
 means responsive to receiving, via a user interface from a user of
10 the subscriber device, group call activation with a selection of two or more
subscribers from the phonebook for providing appropriate signalling with a
group communication service in a network infrastructure for establishing an ad-
hoc group call consisting of the selected subscribers and the user of the sub-
scriber device.

 7. A device according to claim 6, comprising
15 the phonebook application being configured to store presence in-
formation of the subscribers, said presence information including information
on the availability of the subscribers for a group call.

 8. A device according to claim 6 or 7, comprising
 said talk group communication means being configured to send a
20 speech item or a speech item request each time a talk activity detector or a
push-to-talk switch is activated in the subscriber device during a call.

 9. A device according to claim 5, 6 or 7, comprising
 the phonebook application being configured to display the list of
subscribers on the user interface,
25 the phonebook application being configured, in response to the
user's selection of two or more subscribers from the list via the user interface,
to display a group communications menu on the user interface, and
 the phonebook application being configured to initiate establishment
of an ad-hoc group including the user and the selected subscribers in response
30 to the user selecting a predetermined operation in the group communications
menu or the user pressing a predetermined button, such as an off-hook button
or a push-to-talk switch.

 10. A device according to claim 5, 6 or 7, comprising
 the phonebook application being configured to display the list of
35 subscribers on the user interface,

the phonebook application being configured, in response to the user's selection of two or more subscribers from the list via the user interface, to display a group communications menu on the user interface, and

5 the phonebook application being configured, in response to the user's selection of two or more subscribers from the list via the user interface and the user selecting a predetermined operation in the group communications menu or the user pressing a predetermined button, such as an off-hook button or a push-to-talk switch, to initiate establishment of an ad-hoc group including the user and the selected subscribers.

10 11. A program comprising program code means that, when run in a processor of a subscriber device of a communication system, provide all steps of the method according to any one of claims 1 to 5.

12. A storage medium comprising an executable program that includes

15 a phonebook application routine configured to store a list of subscribers in a subscriber device of a communications system,

a routine configured, in response to receiving, via a user interface from a user of the subscriber device, group call activation with a selection of two or more subscribers from the phonebook to provide an appropriate signaling with a group communication service in a network infrastructure for establishing an ac-hoc group call consisting of the selected subscribers and the user of the subscriber device.

20